



BLS CLASSIC SERIES

DISPOSABLE CUP SHAPED FILTERING FACEPIECES

A selection of the most successful models of disposable filtering facepieces ever produced by BLS made BLS Classic, a series that offers a wide choice of protection factors and features to accommodate any specific need.



AVAILABLE WITH ACTIVATED CARBONS

Activated carbons protect from acid and organic gases vapours and ozone below the Threshold Limit Value (TLV), specific for every substance.



AVAILABLE WITH HIGH EFFICIENCY VALVE

Adjustable nose-clip between the layers of the filtering material and soft inner lining on nose, to ensure a good face seal over a range of face sizes.

NOSE CLIP

Located between two internal layers, it is not in direct contact with the face.

BLS CLASSIC SERIES

DISPOSABLE CUP SHAPED FILTERING FACEPIECES

MATERIALS

ELASTICS	Thermoplastic elastomer (TPE)
NOSE CLIP	Reinforced Polypropylene (PP)
VALVE	Polypropylene (PP); Rubber
GASKET	Foamed polymer
FILTERING MATERIAL	Polypropylene (PP)
ACTIVATED CARBONS LAYER	Polyester (PES)

All components in direct contact with user's face are LATEX FREE

TECHNICAL DATA

PRODUCT	CODE	CLASS of PROTECTION	FPN	VALVE	CARBON LAYER	ELASTICS
BLS 128BW	8006188	FFP2 R D	12* TLV			Welded
BLS 129BW	8006184	FFP2 R D	12* TLV	✓		Welded
BLS 226B	8006154	FFP2 NR D	12* TLV	✓	✓	Stapled

*(NR) Not Reusable, 8 hours max (R) Reusable (TLV) Threshold Limit Value (D) The product passed Dolomite test, simulates a heightened level of solid particles
(NPF) Nominal Protection Factor
(ACTIVATED CARBONS) Able to block gases&vapours organic and acid with concentrations lower than the TLV*

TRANSPORT

PRODUCT	CODE	WEIGHT (g)	Q.TY/BOX	Q.TY/CARTON	CARTON WEIGHT (Kg)	Q.TY/PALLET
BLS 128BW	8006188	10	20	240	3,8	8640
BLS 129BW	8006184	14	15	180	3,9	6480
_single pack	8006211	15	10	120	3,2	4320
BLS 226B	8006154	19	10	120	3,7	4320

STORAGE

SHELF-LIFE	10 years/5 years (models with activated carbon)
TEMPERATURE	+5°C/+40°C
RELATIVE HUMIDITY	<60%

BLS CLASSIC SERIES

DISPOSABLE CUP SHAPED FILTERING FACEPIECES

AVAILABLE MODELS



Welded elastics
BLS 128BW



Welded elastics
with valve
BLS 129BW



With valve
and activated carbons
BLS 226B

CERTIFICATION

BLS filtering facepieces are:

- Certified according to European Regulation 2016/425 (Personal Protective Equipments)
- Certified as PPE of III category, in presumption of conformity to harmonized standard EN 149:2001+A1:2009
- Certified and controlled according to Annex D by Italcert S.r.l. (Notified Body n°0426)
- CE marked

BLS management system is ISO 9001 certified.

SELECTION GUIDE

WITH VALVE_BLS 129BW / BLS 226B

- Reduces breathing resistance and the humidity inside the facepieces, making breathing more secure even in humid or very hot work-places

NO VALVE_BLS 128BW

- Also protects the environment from the user
- Ideal in the food industry and all working environments where contamination from the user must be avoided

ACTIVATED CARBONS_BLS 226B

- Able to block gases&vapours organic and acid with concentrations lower that the TLV
- Ideal for welding by products like ozone in concentrations lower that the TLV

IMPORTANT

BLS declines any responsibility, direct or indirect, from any misuse of both devices and instructions. User is responsible for the determination of product compliance with the intended use.