

SAFETY DATA SHEET

EU regulation 1907/2006/EEC - (REACH)

Page: 1 of 5
Print Date: 06/06/2011

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

PRODUCT NAME: PROSOLVE CHLORINATED GRAFFITI REMOVER
USE: Aerosol Propellant
APPLICATION CONDITIONS: Spray Graffiti Remover
SUPPLIER: "*****" Wnt lo cz 'E q c v p i u N f E r { h g r ' k f w u t k r i G u c v g . ' V l e n j k n i T q c f . ' F q p e c u g t . ' F P 6 ' : S
United Kingdom www.ultrimaxcoatings.co.uk"
Tel: 01302 856666 Fax: 01302 571510

2. HAZARDS IDENTIFICATION

MOST IMPORTANT HAZARDS: Limited Evidence of a Carcinogenic Effect
SPECIFIC HAZARDS: Extremely Flammable

3. COMPOSITION/INFORMATION ON INGREDIENTS

IDENTIFICATION OF THE PREPARATION A mixture of oils, thickeners, organic solvents and organic gases.

CHEMICAL NAME	CAS-No	EC-No	CLASS	WEIGHT	REGISTRATION-No
Butane	106-97-8	203-448-7	F+; R12	5-15%	-
Propane	74-98-6	200-827-9	F+; R12	5-15%	-
Dichloromethane	75-09-2	200-838-9	Xn; R40	60-80%	-
Methanol	67-56-1	200-659-6	Xn; R20/22	<2%	-

Contains no known PBT's or vPvB's

4. FIRST AID MEASURES

GENERAL ADVICE: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.

SKIN CONTACT: Remove contaminated clothing immediately and wash affected skin with soap and water. DO NOT use solvents or thinners as skin cleaning agents.

EYE CONTACT: Contact lenses should be removed. Promptly wash eyes with lots of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

INGESTION: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Recommended use: Alcohol resistant foam, carbon dioxide (CO₂), dry powder, water spray. Do not use water jet. Cool containers with spray water.

EXTINGUISHING MEDIA WHICH MUST NOT BE USED FOR SAFETY REASONS: Do NOT use high pressure inert gas or water jets.

SPECIFIC HAZARDS: Fire may produce dense black smoke containing hazardous combustion products (see heading 10). Decomposition products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: In the event of fire, wear self contained breathing apparatus.

SAFETY DATA SHEET

EU regulation 1907/2006/EEC - (REACH)

Page: 2 of 5
Print Date: 06/07/2011

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Remove all sources of ignition. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.
ENVIRONMENTAL PRECAUTIONS:	DO NOT allow to enter drains or watercourses. If the product enters drains or sewers, the local water company should be informed immediately. In the case of contamination of streams, rivers or lakes, inform the relevant environment Agency. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixture with air.
METHODS FOR CLEANING UP:	Contain and collect spillage with non-combustible absorbent materials, (e.g. sand, earth, vermiculite, diatomaceous earth) and place in a suitable container for disposal in accordance with the waste regulations (see section 13). Clean the spill area preferably with a detergent. Avoid the use of solvents.

7. HANDLING AND STORAGE

HANDLING:	Keep, the aerosol in a cool, dry place. Exclude sources of heat, sparks and open flame. Do not use sparking tools around aerosols. Avoid skin and eye contact. Avoid inhalation of vapour and spray mist. For personal protection, see section 8. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentrations higher than the occupational exposure limits. Never apply pressure to the aerosol, the aerosol is a pressurised object and may explode if pressure is applied.
GENERAL:	The accumulation of vapours in an enclosed space may result in spontaneous combustion, use only in well ventilated areas. Use responsibly and in the correct manner. Wear the appropriate personal protective equipment, as outlined in section 8.
STORAGE	Observe label precautions. Store between 5 and 25°C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. No smoking. Store separately from oxidising agents and strongly alkaline and strongly acidic materials.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

CHEMICAL NAME:

Butane	8 hour TWA - 600 ppm / 1450 milligrams per cubic metre 15 minute STEL - 750 ppm / 1810 milligrams per cubic metre
Propane	1000 ppm TWA 2500 ppm TWA
Dichloromethane	WEL (8hr exposure limit): 350mgm ⁻³ WEL (15 min exposure limit) 1060mgm ⁻³
Methanol	200ppm TWA; 260 mg/m ³ TWA

ENGINEERING MEASURES:	Provide adequate ventilation. All PPE used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH regulations.
------------------------------	--

SAFETY DATA SHEET

EU regulation 1907/2006/EEC - (REACH)

Page: 3 of 5
Print Date: 06/13/2011

PERSONAL PROTECTION EQUIPMENT:

RESPIRATORY PROTECTION: If exposure to hazardous substances identified cannot be controlled by the provision of local exhaust ventilation and good general extraction, suitable respiratory protective equipment should be worn.

HAND PROTECTION: When skin exposure may occur, advice should be sought from glove suppliers on appropriate types and usage times for this product. The instructions and information provided by the glove supplier on use, storage, maintenance and replacement must be followed. Barrier creams may help to protect exposed areas of skin, but are not substitutes for full physical protection. They should not be applied once exposure has occurred.

EYE PROTECTION: Eye protection designed to protect against liquid splashes should be worn.

SKIN & BODY PROTECTION: Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Aerosol
FLASHPOINT: Unknown for blend
COLOUR: Clear
ODOUR: Dichloromethane

10. STABILITY AND REACTIVITY

STABILITY: Stable under the recommended storage and handling conditions (see section 7).

CONDITIONS TO AVOID: Applying heat or pressure to the aerosol may result in explosion and fire. Naked flames, smoking, wet and damp storage conditions and mishandling may also result in explosion and fire.

MATERIALS TO AVOID: Keep away from oxidising agents, strongly alkaline and strongly acidic materials in order to avoid exothermic reactions.

HAZARDOUS DECOMPOSITION PRODUCTS: In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide and oxides of nitrogen may be produced.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1600 mg/kg [Rat]. Acute toxicity of the vapor (LC50): 52000 1 hours [Rat].

LOCAL EFFECTS: Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

SENSITIZATION:

CHRONIC TOXICITY: Human: passes through the placenta, excreted in maternal milk.

LONG TERM TOXICITY: CARCINOGENIC EFFECTS: Classified + (Proven.) by OSHA. Classified 2B (Possible for human.) by IARC. Causes damage to the following organs: lungs, the nervous system, liver, mucous membranes, central nervous system (CNS).

Dichloromethane is a category 3 carcinogen

SAFETY DATA SHEET

EU regulation 1907/2006/EEC - (REACH)

Page: 4 of 5
Print Date: 06/06/2011

Contains no known category 1 or 2 carcinogens, mutagens or reproductive toxicants

12. ECOLOGICAL INFORMATION

MOBILITY: Volatile. Insoluble in water. Heavier than water.
PERSISTENCE AND DEGRADABILITY: Only slightly biodegradable.
BIOACCUMULATION: Dichloromethane has low bioaccumulative potential.
ECOTOXICITY EFFECTS: Toxic to fauna. Low toxicity to fish.
ENDOCRINE DISRUPTING POTENTIAL:

Contains no known substances that require a chemical safety report

13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES / UNUSED PRODUCTS: Do not allow to enter drains or water courses or dispose of where ground or surface waters may be affected.
CONTAMINATED PACKAGING: Wastes, including emptied aerosols, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using the information provided in this safety data sheet, advice should be obtained from the relevant environment agency whether the special waste regulations apply.

14. TRANSPORT INFORMATION

UN NUMBER: UN1950
SHIPPING NAME Aerosols
HAZARD CLASS: 2.1 (For Sea Transport). Classification code 5f
EmS: F-D, S-U
CLASS: 2
LABELLING: 2.1

15. REGULATORY INFORMATION

SYMBOLS:



Extremely Flammable



Harmful

R-PHRASE(S): R12 Extremely flammable
R40 Limited evidence of a carcinogenic effect

S-PHRASE(S): S2 Keep out of the reach of children
S16 Keep away from sources of ignition – no smoking
S23 Do not breathe gas/fumes/vapour/spray
S24/25 Avoid contact with skin and eyes
S35 This material and its container must be disposed of in a safe way
S36 Wear suitable protective clothing
S45 In case of accident or if you feel unwell seek medical advice immediately

SAFETY DATA SHEET

EU regulation 1907/2006/EEC - (REACH)

Page: 5 of 5
Print Date: 06/06/2011

S51 Use only in well ventilated areas

No chemical safety assessments have been carried out for any of the substances used in this preparation.

16. OTHER INFORMATION

USES ADVISED AGAINST: The product should not be used for any other purposes other than its intended use. Handling, storage and conditions to avoid instructions must be followed at all times.

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemical (Hazard Information and Packaging) Regulations. The information we have provided is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not considered a warranty or quality specification. The information relates only to the material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.