HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page '

1. PRODUCT AND COMPANY IDENTIFICATION

1.01 Product Code Ultrimax Acetone Thinner

1.02 Manufacturer/Supplier Ultrimax Coatings Ltd

1.03 Address Shaw Lane Industrial Estate, Ogden Road, Doncaster, DN2 4SE

1.04 Contact www.ultrimaxstore.com

1.05 Phone Number 01302 856666

1.06 Email sales@ultrimaxcoatings.co.uk

1.7 Emergency Phone Number 01302 856666

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066

Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Label elements: Hazard statements:

EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

Signal words: Danger
Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page 2

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Chemical identity: ACETONE

CAS number: 67-64-1

EINECS number: 200-662-2

REACH registered number(s): 01-2119471330-49

4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to

cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour

may travel considerable distance to source of ignition and flash back.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

and eyes.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page 3

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which

may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

7. HANDLING & STORAGE

1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do

not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is

forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources

of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure

lighting and electrical equipment are not a source of ignition.

Suitable packaging: Steel drums. Stainless steel. Polyethylene. Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Hazardous ingredients:

ACETONE

Workplace exposure limits: Respirable dust

8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL State

UK 1210 mg/m3 3620 mg/m3

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment

are not a source of ignition.

Self-contained breathing apparatus must be available in case of emergency. Respiratory protection:

Protective gloves. Hand protection:

Safety glasses. Ensure eye bath is to hand. Eye protection:

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

State: Liquid Colour: Colourless

Odour: Characteristic odour

Evaporation rate: Moderate

Oxidising: No data available.

Solubility in water: Soluble

Also soluble in: Most organic solvents.

Viscous Viscosity:

Boiling point/range°C: 55.8-56.6 Melting point/range°C: -94.7 Flammability limits %: lower: 2.5 upper: 143 Part.coeff. n-octanol/water: No data available. Flash point°C: -17 465 24.4 kPa 20 Autoflammabilitv°C: Vapour pressure: 0.79 20 5-6 Relative density: pH:

VOC g/l: 790

9.2. Other information

Other information: No data available.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page !

10. STABILITY & REACTIVITY

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Hazardous ingredients:

ACETONE

 IVN
 RAT
 LD50
 5500 mg/kg

 ORL
 MUS
 LD50
 3000 mg/kg

 ORL
 RAT
 LD50
 5800 mg/kg

Relevant hazards for substance:

Hazard Route Basis

Serious eye damage/irritation OPT Hazardous: calculated STOT-single exposure - Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause

coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page 6

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous ingredients:

ACETONE

BLUEGILL (Lepomis macrochirus) LC50 8300 mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations:

Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Solvent reclamation/regeneration.

Waste code number: 140603

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.



HEALTH AND SAFETY DATA SHEET Revised 1/5/2024 Revision No. 2

Page 7

14. TRANSPORT INFORMATION

14.1. UN number

UN number: UN1090

14.2. UN proper shipping name

Shipping name: ACETONE

14.3. Transport hazard class(es) Transport class: 3

14.4. Packing group

Packing group:

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E Transport category: 2

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by

the supplier.

16. OTHER INFORMATION

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU)

No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

